



Price list 2020

The **Dynamic**
Preparation
specialist for
more than **75 years**



INDEX

Food Preparation

Vegetable Slicer

TRS Classic	1
Equipment for TRS Classic	1
CT6 - Tomato Slicer	10
ACCESSORIES for CT6	10

Food Processors/ Cutter Mixers

Food Processor/Cutter Mixer 4.7QT	11
Food Processor/Cutter Mixer 4.7QT - ACCESSORIES	11
Food Processor/Cutter Mixer 5.8QT	13
Food Processor/Cutter Mixer 5.8QT - ACCESSORIES	13
Food Processor/Cutter Mixer 7.4QT	15
Food Processor/Cutter Mixer 7.4QT - ACCESSORIES	15

Food Processor & Vegetable Slicer

Multigreen	17
ACCESSORIES for MultiGreen	17

Immersion Blenders / Stick Mixers

Bermixer PRO 350 W	21
Bermixer PRO 450 W	22
Bermixer PRO 650 W	23
Bermixer PRO 750 W	24
Equipment for Bermixers PRO	24

Dryers

EL40 Vegetable Dryer	26
ACCESSORIES for EL40	26



TRS Classic

	kg kW	Code Model	USD
TRS Classic - Vegetable bench cutter with ejector, single speed, 1 HP, (discs not included) 115 V 1N 60 Hz WxDxH 9 11/16"x 21 15/16"x 18 3/8"	51.0051 0.64	600398 TR24DU	3,212

Equipment for TRS Classic



	kg kW	Code Model	USD
Stainless steel grating disc 5/64", fine (2mm) WxDxH 7 7/8"x 7 7/8"x 1 9/16"	2.002	653773 J2X	327



Stainless steel grating disc, 1/8", fine (3mm) WxDxH 7 7/8"x 7 7/8"x 1 9/16"	2.002	653774 J3X	327
---	-------	----------------------	------------









Stainless steel grating disc 5/32" (4mm) WxDxH 7 7/8"x 7 7/8"x 1 9/16"	2.002	653775 J4X	327
---	-------	----------------------	------------



Stainless steel grating disc 9/32" (7mm) WxDxH 7 7/8"x 7 7/8"x 1 9/16"	2.002	653776 J7X	327
---	-------	----------------------	------------



◀◀ (Equipment for TRS Classic)

		kg kW	Code Model	USD
	Stainless steel grating disc 11/32" (9mm) WxDxH 7 7/8"x 7 7/8"x 1 9/16"	2.002	653777 J9X	327
	Stainless steel grating disc, designed for nuts, chocolate & bread crumbs, stainless steel WxDxH 7 7/8"x 7 7/8"x 1 9/16"	2.002	653778 KX	327
	Stainless steel grating disc, especially fine grating for Parmesan cheese and chocolate, stainless steel WxDxH 7 7/8"x 7 7/8"x 1 3/16"	2.002	653779 PX	327
	Stainless steel shredding disc with S-blades 5/64"x 5/64" (2x2 mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8"	2.002	650166 AS2XX	404
	Stainless steel shredding disc with S-blades 5/64" x 5/16" (2x8 mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8"	2.002	650158 AS2X8X	404
	Stainless steel shredding disc with S-blades 5/64" x 3/8" (2x10 mm) WxDxH 8 1/16"x 8 1/16"x 1 3/8"	2.002	650159 AS2X10X	404








◀◀ (Equipment for TRS Classic)

		kg kW	Code Model	USD
	Stainless steel shredding disc with S-blades 1x8" x 1/8" (3x3 mm) WxDxH 8 1/16" x 8 1/16" x 1 3/8"	2.002	650167 AS3XX	404
	Stainless steel shredding disc with S-blades 5/32" x 5/32" (4x4 mm) WxDxH 8 1/16" x 8 1/16" x 1 3/8"	2.002	650077 AS4XX	404
	Stainless steel shredding disc with S-blades 1/4" x 1/4" (6x6 mm) (can also be used for French fries) WxDxH 8 1/16" x 8 1/16" x 1 3/8"	2.002	650078 AS6XX	404
	Stainless steel shredding disc with S-blades 5/16" x 5/16" (8x8 mm) (can also be used for French fries) WxDxH 8 1/16" x 8 1/16" x 1 3/8"	2.002	650079 AS8XX	404
	Stainless steel shredding disc with S-blades 3/8" x 3/8" (10x10 mm) (can also be used for French fries) WxDxH 8 1/16" x 8 1/16" x 1 3/8"	2.002	650080 AS10XX	404
	Stainless steel pressing/slicing disc with S- blades .6 mm (can be used for slicing or combined with grids) WxDxH 8 1/16" x 8 1/16" x 1 3/8"	2.002	650081 C06SX	327









◀◀ (Equipment for TRS Classic)

		kg kW	Code Model	USD
	Stainless steel pressing/slicing disc with S-blades 1/32" (1 mm) (can be used for slicing or combined with grids) WxDxH 8 1/16"x 8 1/16"x 1 3/8"	2.002	650082 C1SX	327
	Stainless steel pressing/slicing disc with S-blades 5/64" (2 mm) (can be used for slicing or combined with grids) WxDxH 8 1/16"x 8 1/16"x 1 3/8"	2.002	650083 C2SX	327
	Stainless steel pressing/slicing disc with S-blades 1/8" (3 mm) (can be used for slicing or combined with grids) WxDxH 8 1/16"x 8 1/16"x 1 3/8"	2.002	650084 C3SX	327
	Stainless steel pressing/slicing disc with S-blades 5/32" (4 mm) (can be used for slicing or combined with grids) WxDxH 8 1/16"x 8 1/16"x 1 3/8"	2.002	650085 C4SX	327
	Stainless steel pressing/slicing disc with S-blades 3/16" (5 mm) (can be used for slicing or combined with grids) WxDxH 8 1/16"x 8 1/16"x 1 3/8"	2.002	650086 C5SX	327
	Stainless steel pressing/slicing disc with S-blades 1/4" (6 mm) (can be used for slicing or combined with grids) WxDxH 8 1/16"x 8 1/16"x 1 3/8"	2.002	650087 C6SX	327









◀◀ (Equipment for TRS Classic)

		kg kW	Code Model	USD
	Stainless steel pressing/slicing disc with S-blades 5/16" (8 mm) (can be used for slicing or combined with grids) WxDxH 8 1/16"x 8 1/16"x 1 3/8"	2.002	650088 C8SX	327
	Stainless steel pressing/slicing disc with S-blades 3/8" (10 mm) (can be used for slicing or combined with grids) WxDxH 8 1/16"x 8 1/16"x 1 3/8"	2.002	650160 C10SX	327
	Stainless steel pressing/slicing disc with S-blades 15/32" (12 mm) (can be used for slicing or combined with grids) WxDxH 8 1/16"x 8 1/16"x 1 3/8"	2.002	650161 C12SX	327
	Stainless steel pressing/slicing disc with S-blades 33/64" (13 mm) (can be used for slicing or combined with grids) WxDxH 8 1/16"x 8 1/16"x 1 3/8"	2.002	650165 C13SX	327
	Stainless steel pressing/slicing disc with corrugated S-blades 5/64" (2 mm) (can be used for slicing or combined with grids) WxDxH 8 1/16"x 8 1/16"x 1 3/8"	2.002	650089 C2WX	327
	Stainless steel pressing/slicing disc with corrugated S-blades 1/8" (3 mm) (can be used for slicing or combined with grids) WxDxH 8 1/16"x 8 1/16"x 1 3/8"	2.002	650090 C3WX	327









◀◀ (Equipment for TRS Classic)

		kg kW	Code Model	USD
	Stainless steel pressing/slicing disc with corrugated S-blades 1/4" (6 mm) (can be used for slicing or combined with grids) WxDxH 8 1/16"x 8 1/16"x 1 3/8"	2.002	650091 C6WX	327
	Stainless steel pressing/slicing disc with corrugated S-blades 5/16" (8 mm) (can be used for slicing or combined with grids) WxDxH 8 1/16"x 8 1/16"x 1 3/8"	2.002	650162 C8WX	327
	Stainless steel pressing/slicing disc with corrugated S-blades 3/8" (10 mm) (can be used for slicing or combined with grids) WxDxH 8 1/16"x 8 1/16"x 1 3/8"	2.002	650164 C10WX	327
	Dicing grid 3/16" x 3/16" (5x5 mm) WxDxH 8 1/4"x 9 "x 0 7/8"	2.002	653566 MT05T	327
	Dicing grid 5/16" x 5/16" (8x8 mm) WxDxH 8 1/4"x 9 "x 0 7/8"	2.002	653567 MT08T	327
	Dicing grid 3/8"x 3/8" (10x10 mm) WxDxH 8 1/4"x 9 "x 0 7/8"	2.002	653568 MT10T	327








◀◀ (Equipment for TRS Classic)

		kg kW	Code Model	USD
	Dicing grid 15/32"x 15/32" (12x12 mm) WxDxH 8 1/4"x 9 "x 0 7/8"	1.001	653569 MT12T	327
	Dicing grid 25/32"x 25/32" (20x20 mm) WxDxH 8 1/4"x 9 "x 0 7/8"	2.002	653570 MT20T	327
	Grid for chips 1/4" x 1/4" (6x6 mm) WxDxH 8 1/4"x 9 "x 0 7/8"	2.002	653571 FT06	327
	Grid for chips 5/16" x 5/16" (8x8 mm) WxDxH 8 1/4"x 9 "x 0 7/8"	2.002	653572 FT08	327
	Grid for chips 3/8" x 3/8" (10x10 mm) WxDxH 8 1/4"x 9 "x 0 7/8"	2.002	653573 FT10	327
	Bistrot Pack, Stainless Steel Disc Set containing one each of: C2SX 5/64" (2mm) slicing disc, C5SX 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc WxDxH 20 1/16"x 9 7/16"x 10 7/16"	13.0013	650092 SCEQXX	928



◀◀ (Equipment for TRS Classic)

		kg kW	Code Model	USD
	Gastronomic 6-Disc Set, Stainless Steel Disc Set containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc, AS4X 5/32"x5/32" (4x4mm) shredding disc, C10PS 3/8" (10mm) presser/slicer, MT10T 3/8"x3/8" (1 WxDxH 20 1/16"x 9 7/16"x 10 7/16"	13.0013	650093 SCREQXX	1,934
	Set of 4 Stainless Steel Discs containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc and J7X 9/32" (7mm) grating disc WxDxH 10 7/16"x 9 7/16"x 20 1/16"	-1.00-1	650178 SD4CIX	1,232
	Set of 7 Stainless Steel Discs containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm), J7X 9/32" (7mm) grating disc, AS4X 5/32"x5/32" (4x4mm) shredding disc, C10PSB 3/8" (10mm) presser/slicer, MT10T 3/8"x3/8" (1 WxDxH 20 1/16"x 9 7/16"x 10 7/16"	-1.00-1	650179 SD7CIASMTX	2,225
	Set of 3 stainless steel discs for Pizza 5/64", 5/32", 9/32" (2mm and 4mm pressing/slicing discs with S-blades, 7mm grating disc) WxDxH 20 1/16"x 9 7/16"x 10 7/16"	13.0013	650107 SDPXX	928
	MultiGreen and TRS Storage Case (for 1 blade only) WxDxH 1 3/4"x 9 1/16"x 8 1/4"	2.002	653050 SBPL	36



◀◀ (Equipment for TRS Classic)



	kg kW	Code Model	USD
Cleaning tool for TRS, TRK & TR210 3/16- 5/16-3/8 in (5-8-10 mm) dicing grids WxDxH 5 11/16"x 5 11/16"x 1 "	-1.00-1	650110 GRID	79


CT6 - Tomato Slicer

	kg kW	Code Model	USD
Tomato Slicer, manual, 1/4 (6mm) slice, 11 slices, aluminum & stainless steel construction, suction cup base WxDxH 5 11/16"x 16 13/16"x 9 7/16" Included Accessory 653099 Tomato guide for 1/4" slicer 1 653100 Blade assembly for 1/4" tomato slicer 1	9.009	600575 DCT6-U	763

ACCESSORIES for CT6

	kg kW	Code Model	USD
Tipper support for tomato slicer WxDxH 5 1/2"x 22 7/16"x 2 9/16"	4.004	653282 TIP	387
Blade assembly for 1/4" tomato slicer WxDxH 10 13/16"x 2 15/16"x 1 3/8"	2.002	653100 CB6	222
Tomato guide for 1/4" slicer WxDxH 3 15/16"x 4 1/8"x 5 5/16"	2.002	653099 TG6	137



Food Processor/Cutter Mixer 4.7QT

	kg kW	Code Model	USD
Vertical Cutter/Mixer, bench-style, variable speed (300-3700 RPM). Supplied with 4.7 qts removable stainless steel bowl with clear BPA-free lid, equipped with scraper. Microtooth blade, metal motor housing, 1000 watt (1-1/3 HP), NEMA 5-20P <i>110-120 V 1N 60 Hz</i> WxDxH 10 1/16"x 16 5/16"x 19 "	55.0055 1	600577 DK45VWU	3,890
Included Accessory			
650099 Lid and bowl scraper for 4.7 qts (4.5 L) cutter mixer	1		
653580 Microtoothed blade rotor for 4.7 qts (4.5 L) cutter mixer	1		
653589 Stainless steel bowl for 4.7 qts (4.5 L) cutter mixer	1		

Food Processor/Cutter Mixer 4.7QT - ACCESSORIES



	kg kW	Code Model	USD
Smooth blade rotor for 4.7 qts (4.5 L) cutter mixer WxDxH 7 11/16"x 7 11/16"x 6 1/16"	2.002	653579 SBRK45	325



Microtoothed blade rotor for 4.7 qts (4.5 L) cutter mixer WxDxH 7 11/16"x 7 11/16"x 6 1/16"	2.002	653580 MBRK45	325
---	-------	-------------------------	------------



Lid and bowl scraper for 4.7 qts (4.5 L) cutter mixer WxDxH 10 1/4"x 14 9/16"x 3 1/8"	3.003	650099 LBSK245	479
---	-------	--------------------------	------------



◀◀ (Food Processor/Cutter Mixer 4.7QT - ACCESSORIES)

	kg kW	Code Model	USD
Stainless steel bowl for 4.7 qts (4.5 L) cutter mixer WxDxH 9 1/4"x 11 1/32"x 6 5/16"	4.004	653589 BXK45	608



Food Processor/Cutter Mixer 5.8QT

	kg kW	Code Model	USD
Vertical Cutter/Mixer, bench-style, variable speed (300-3700 RPM). Supplied with 5.8 qts removable stainless steel bowl with clear BPA-free lid, equipped with scraper. Microtooth blade rotor, metal motor housing, 1300 watt (1-3/4 HP), NEMA 5-20P, 120 V 1N <i>110-120 V 1N 60 Hz</i> WxDxH 10 1/16"x 16 5/16"x 19 "	51.0051 1.30	600578 DK55VWU	4,168
Included Accessory			
650102 Lid and bowl scraper for 5.8 qts (5.5 L) cutter mixer	1		
653582 Microtoothed blade rotor for 5.8 qts (5.5 L) cutter mixer	1		
653590 Stainless steel bowl for 5.8 qts (5.5 L) cutter mixer	1		

Food Processor/Cutter Mixer 5.8QT - ACCESSORIES



	kg kW	Code Model	USD
Smooth blade rotor for 5.8 qts (5.5 L) cutter mixer WxDxH 8 7/16"x 8 7/16"x 6 1/16"	2.002	653581 SBRK55	325



Microtoothed blade rotor for 5.8 qts (5.5 L) cutter mixer WxDxH 8 7/16"x 8 7/16"x 6 1/16"	2.002	653582 MBRK55	325
---	-------	-------------------------	------------



Stainless steel bowl for 5.8 qts (5.5 L) cutter mixer WxDxH 9 1/4"x 11 1/32"x 6 5/16"	5.005	653590 B XK55	608
---	-------	-------------------------	------------



◀◀ (Food Processor/Cutter Mixer 5.8QT - ACCESSORIES)



	kg kW	Code Model	USD
Lid and bowl scraper for 5.8 qts (5.5 L) cutter mixer WxDxH 9 13/16"x 11 5/8"x 10 1/4"	6.006	650102 LBSK255	479



Food Processor/Cutter Mixer 7.4QT

	kg kW	Code Model	USD
Vertical Cutter/Mixer, bench-style, variable speed (300-3700 RPM). Supplied with 7.4 qts removable stainless steel bowl with clear BPA-free lid, equipped with scraper. Microtooth blade rotor, metal motor housing, 1500 watt (2 HP), NEMA 5-20P <i>110-120 V 1N 60 Hz</i> WxDxH 10 1/16"x 16 5/8"x 20 9/16" Included Accessory 650104 Lid and bowl scraper for 7.4 qts (7 L) cutter mixer 1 653584 Microtoothed blade rotor for 7.4 qts (7 L) cutter mixer 1 653593 Stainless steel bowl for 7.4 qts (7 L) cutter mixer 1	60.0060 1.50	600579 DK70VWU	4,437

Food Processor/Cutter Mixer 7.4QT - ACCESSORIES



	kg kW	Code Model	USD
Smooth blade rotor for 7.4 qts (7 L) cutter mixer WxDxH 8 7/16"x 8 7/16"x 7 5/8"	2.002	653583 SBRK70	325



Microtoothed blade rotor for 7.4 qts (7 L) cutter mixer WxDxH 8 7/16"x 8 7/16"x 7 5/8"	4.004	653584 MBRK70	325
--	-------	-------------------------	------------



Lid and bowl scraper for 7.4 qts (7 L) cutter mixer WxDxH 12 3/16"x 12 3/16"x 12 3/16"	10.0010	650104 LBSK270	479
--	---------	--------------------------	------------



◀◀ (Food Processor/Cutter Mixer 7.4QT - ACCESSORIES)

		kg kW	Code Model	USD
	Stainless steel bowl for 7.4 qts (7 L) cutter mixer WxDxH 9 1/4"x 9 1/4"x 7 7/8"	4.004	653593 BXK70	608



Multigreen

	kg kW	Code Model	USD
MultiGreen 2-in-1 Food Processor, continuous feed hopper & 2.6 qts (2.5Lt) plastic bowl with S-blade, 2 blade package, 370 watt (1/2 HP), 1800 rpm <i>115 V 1N 60 Hz</i> WxDxH 8 1/2"x 13 11/16"x 16 1/4" Included Accessory 653004 MultiGreen Grating Blade, 5/32" (4mm) 1 653145 MultiGreen Cutter Equipment, set of plastic bowl, lid & rotor 1 653176 MultiGreen Slicing Blade, 5/64" (2mm) 1 653512 MultiGreen Lid, plastic BPA free 1 653770 MultiGreen Continuous feed hopper with safety lever 1	35.0035 0.37	600395 MUGYU	1,781

ACCESSORIES for MultiGreen



	kg kW	Code Model	USD
MultiGreen Disc Snack Pack (includes TD2, TD5, RD2) WxDxH 7 "x 7 "x 4 3/4"	-1.00-1	653535 DKMUG	593



MultiGreen Cutter Equipment, set of plastic bowl, lid & rotor WxDxH 7 7/8"x 9 7/16"x 6 5/16"	2.002	653145 CUTEQ	432
---	-------	------------------------	------------



MultiGreen Smooth Blade Rotor for 2.6 qts WxDxH 6 7/8"x 2 3/8"x 2 15/16"	2.002	653146 ROT	133
--	-------	----------------------	------------









◀◀ (ACCESSORIES for MultiGreen)

		kg kW	Code Model	USD
	MultiGreen Microtooth Blade Rotor for 2.6 qts WxDxH 6 7/8"x 2 3/8"x 2 15/16"	2.002	650035 ROTM	133
	MultiGreen Bowl, 2.6 qts (2.5L), stainless steel WxDxH 7 11/16"x 7 11/16"x 5 1/8"	2.002	653487 BX3	299
	MultiGreen Bowl, 2.6 qts (2.5L), plastic BPA free WxDxH 7 11/16"x 7 11/16"x 5 1/8"	2.002	653488 BP3	239
	MultiGreen Lid, plastic BPA free WxDxH 8 1/4"x 9 5/8"x 4 3/4"	1.001	653512 PLIDCUT	154
	MultiGreen set of stainless steel bowl, lid & rotor WxDxH 7 7/8"x 9 7/16"x 6 5/16"	4.004	653047 CUTEQX	572
	MultiGreen Continuous feed hopper with safety lever WxDxH 8 1/4"x 10 5/8"x 7 1/16"	4.004	653770 FCHY	401









◀◀ (ACCESSORIES for MultiGreen)

		kg kW	Code Model	USD
	MultiGreen Wavy Blade, 5/64" (2mm) WxDxH 7 1/16"x 7 1/16"x 0 13/16"	2.002	653007 WD2	206
	MultiGreen Grating Blade, 5/64" (2mm) WxDxH 7 1/16"x 7 1/16"x 0 13/16"	2.002	653178 RD2	206
	MultiGreen Grating Blade, 1/8" (3mm) WxDxH 7 1/16"x 7 1/16"x 0 13/16"	2.002	653003 RD3	206
	MultiGreen Grating Blade, 5/32" (4mm) WxDxH 7 1/16"x 7 1/16"x 0 13/16"	2.002	653004 RD4	206
	MultiGreen Grating Blade, 9/32" (7mm) WxDxH 7 1/16"x 7 1/16"x 0 13/16"	2.002	653005 RD7	206
	MultiGreen Julienne Blade, 5/64" (2mm) WxDxH 7 1/16"x 7 1/16"x 0 13/16"	2.002	653171 ED2	206



◀◀ (ACCESSORIES for MultiGreen)

		kg kW	Code Model	USD
	MultiGreen Julienne Blade, 5/32" (4mm) WxDxH 7 1/16"x 7 1/16"x 0 13/16"	2.002	653006 ED4	206
	MultiGreen Slicing Blade, 5/64" (2mm) WxDxH 7 1/16"x 7 1/16"x 0 13/16"	2.002	653176 TD2	206
	MultiGreen Slicing Blade, 1/8" (3mm) WxDxH 7 1/16"x 7 1/16"x 0 13/16"	2.002	653177 TD3	206
	MultiGreen Slicing Blade, 3/16" (5mm) WxDxH 7 1/16"x 7 1/16"x 0 13/16"	2.002	653001 TD5	206
	MultiGreen Slicing Blade, 9/32" (7mm) WxDxH 7 1/16"x 7 1/16"x 0 13/16"	2.002	653002 TD7	206
	MultiGreen and TRS Storage Case (for 1 blade only) WxDxH 1 3/4"x 9 1/16"x 8 1/4"	2.002	653050 SBPL	36



Bermixer PRO 350 W

	kg kW	Code Model	USD
BermixerPRO, portable, hand held, variable speed (up to 9000 RPM), equipped with constant pressure switch, handle grip, with 14in cutter tube, 350 watt (1/2 HP), NEMA 1-15P <i>110-120 V 1 50/60 Hz</i> WxDxH 5 7/16"x 4 3/4"x 26 3/16" Included Accessory 650132 BermixerPRO Stainless Steel cutter tube 14in (353mm)	10.0010 0.35	600548 DBP3535U	979
1			



Bermixer PRO 450 W

	kg kW	Code Model	USD
BermixerPRO, portable, hand held, variable speed (up to 9000 RPM), equipped with constant pressure switch, handle grip, with 18in cutter tube, 450 watt (1/2 HP), NEMA 1-15P <i>110-120 V 1 50/60 Hz</i> WxDxH 5 7/16"x 4 3/4"x 34 1/16" Included Accessory 650133 BermixerPRO Stainless Steel cutter tube 18in (453mm) 1	11.0011 0.45	600396 DBP4545U	1,150



Bermixer PRO 650 W

	kg kW	Code Model	USD
BermixerPRO, portable, hand held, variable speed (up to 10000 RPM), equipped with constant pressure switch, handle grip, with 22in cutter tube, 650 watt (1 HP), NEMA 1-15P <i>110-120 V 1 50/60 Hz</i> WxDxH 5 7/16"x 4 3/4"x 34 1/16" Included Accessory 650134 BermixerPRO Stainless Steel cutter tube 22in (553mm)	11.0011 0.65	600549 DBP6555U	1,383
1			



Bermixer PRO 750 W

	kg kW	Code Model	USD
BermixerPRO, portable, hand held, variable speed (up to 10000 RPM), equipped with constant pressure switch, handle grip, with 26in cutter tube, 750 watt (1 HP), NEMA 1-15P 110-120 V 1 50/60 Hz WxDxH 5 7/16"x 4 3/4"x 38 " Included Accessory 650135 BermixerPRO Stainless steel tube 26in (653mm) 1	11.0011 0.75	600574 DBP7565U	1,544

Equipment for Bermixers PRO



	kg kW	Code Model	USD
BermixerPRO Stainless Steel cutter tube 14in (353mm) WxDxH 4 5/16"x 4 5/16"x 13 7/8"	4.004	650132 BPT35	428




BermixerPRO Stainless Steel cutter tube 18in (453mm) WxDxH 4 5/16"x 4 5/16"x 17 13/16"	4.004	650133 BPT45	488
--	-------	------------------------	------------



BermixerPRO Stainless Steel cutter tube 22in (553mm) WxDxH 4 5/16"x 4 5/16"x 21 3/4"	5.005	650134 BPT55	548
--	-------	------------------------	------------



◀◀ (Equipment for Bermixers PRO)

		kg kW	Code Model	USD
	BermixerPRO Stainless steel tube 26in (653mm) WxDxH 4 5/16"x 4 5/16"x 25 11/16"	4.004	650135 BPT65	608
	Reinforced whisk for portable BermixerPRO WxDxH 4 3/4"x 4 3/4"x 15 13/16"	4.004	653578 BMXRWSK	569
	BermixerPRO Bowl Cradle for containers WxDxH 6 5/16"x 5 1/2"x 7 1/16"	2.002	653294 B2SUP	350
	BermixerPRO Adjustable Rail, for containers 15in - 26in, to be combined with bowl cradle WxDxH 27 9/16"x 5 15/16"x 1 9/16"	4.004	653292 B2RAIL	370



EL40 Vegetable Dryer

	kg kW	Code Model	USD
11 lbs (5 kg) vegetable dryer with 33 qts (32 L) basket volume. Spin drying automatic cycle, 370 watt (1/2 HP) 120 V 1N 60 Hz WxDxH 18 1/8"x 21 1/4"x 31 1/2" Included Accessory 653131 Basket for 11 lbs (5 kg) vegetable dryer 1	106.0010 0.37	600576 DEL40U	4,177

ACCESSORIES for EL40

	kg kW	Code Model	USD
Basket for 11 lbs (5 kg) vegetable dryer WxDxH 15 3/16"x 15 3/16"x 13 3/16"	9.009	653131 BK40	552

DITO SAMA FACTORY

Z.I du Mont - 23200 AUBUSSON - FRANCE

DITO SAMA HEAD OFFICE

Viale Treviso, 15
33170 Pordenone (Italy)

www.ditosama.us

